

MULTIDYS AND FLUIDYS RECESSED RANGE




STANDARD HORIZONTAL MULTIDYS BOX

■ TECHNICAL CHARACTERISTICS

The recessed Multidys solution provides ideally extra low, low voltage and gases. It particularly suits the needs of the caring personnel.

In Operating Theatre this device can be used in addition to the TECH-CARE pendants.



Front view





Low/Extra low voltage equipment





Cross-section




610x370mm



610x250mm



610x490mm



Supplies


- MULTIDYS is designed to be fed :
- From the ceiling, via a flush mounted duct (A)
 - From the side, via two or three supplies per channels (B)



Installation

Because it is quick and easy to recess into the wall, the bed head unit saves time and labor.

The installation company is required to provide linings on the partition for MULTIDYS installation.



Colors

| | WHITE - RAL 9016 | GREY - RAL 9006 | GREY - RAL 7040 |
|--|------------------|-----------------|-----------------|
| Standard Aluminium cover | ● | ● | |
| Medical gas casing (only if French type gas outlets) | ● | | ● |






RECESSED FLUIDYS BED HEAD UNIT


TECHNICAL CHARACTERISTICS

All configurations are available in horizontal version


FLUIDYS 160






FLUIDYS 120 + 120



FLUIDYS 3 x 120



Cross-section




Supplies


This product is designed to be fed :

- From the ceiling, via a flush mounted duct (A)
- From the side, via three supplies per channel (B)

A





B



Installation

Because it is quick and easy to recess into the wall, the product unit saves time and labor.



Stretcher (optional)


Colors

| | WHITE - RAL 9016 | GREY - RAL 9006 | GREY - RAL 7040 |
|----------------------------------|------------------|-----------------|-----------------|
| Custom made cover | ● | ● | |
| Medical gas casing (French type) | ● | | ● |




■ TECHNICAL CHARACTERISTICS


Front view



Side cross-section



Top cross-section





The MULTIDYS panel is made-to-measure. Manufactured in stainless steel or powder coated steel RAL 9016, it enables the distribution of low, extra low voltage and medical gases.

The product is recessed in the partition. For that a minimum depth of 72 mm is required.

Installation

Because it is quick and easy to recess into the wall, this product saves time and labor. The installation company is required to provide linings on the partition for MULTIDYS installation.





Norms & certifications

- EN ISO 13485: Quality management systems
- CE Medical Devices Marking according to the (EU) Rules 2017/745
- EN ISO 11197: Medical supply units
- EN ISO 7396-1: Medical gas pipeline systems - Part 1

Ceiling pendants, Suspended Beams & Columns, Bed head units / trunkings,
Sealed ceiling lightings, Medical gases monitoring & Biomedical Accessories

