# **BIOMEDICAL ACCESSORIES**







### Care LED lamp with gradation on articulated arm with clamp

This lamp is really convenient for examinations and is suitable for resuscitation ward or patient rooms.

Length: 885 mm

Light output 30000 Lux / 0,5 m Field of illumination 300 mm / 0,5 m

Color temperature 4400 K

CRI > 93

For horizontal rail, ref: 815652

For vertical tube or rail, ref: 815653



#### Care LED lamp on articuled arm

This lamp can be used in examination rooms or ICU. It provides reliable and ideal lighting for medical examinations.

#### 1 color temperature, with clamp

Length: 940 mm

Light output 50000 Lux / 0,5 m Field of illumination 180 mm Color temperature 4 400 K

CRI > 93

For horizontal rail, ref: 815654 For vertical tube or rail, ref: 815655

#### 3 color temperatures, with clamp, 5 gradation level

Light output 50000 Lux / 0,5 m Field of illumination 180 mm

Color temperature 3 300 K / 3 800 K / 4 400 K

CRI > 93

For horizontal rail, ref: 815656 For vertical tube or rail, ref: 815657



### LED lamp on flexible arm

This lamp is suitable for daily medical examinations.

Length: 1000 mm

Light output 50000 Lux / 0,5 m Field of illumination 180 mm Color temperature 4 400 K

CRI > 93

For horizontal rail, ref: 815714

For vertical tube or rail, ref: 815715

# CARE AND EXAMINATION LAMPS



### LED lamp on articulated arm with clamp

Length: 991 mm

Light output 50000 Lux / 0,5 m Field of illumination 100 mm Color temperature 4 300 K

For horizontal rail, ref: 815662

For vertical tube or rail, ref: 815663



# LED minor ops and examination lamp with double joint rigid arm (clamp included)

This care lamp is ideal for emergencies, neonatalogy or in addition in operating rooms for small or ambulatory surgeries. It can be screwed onto the ceiling anchoring of the TECH-CARE pendant.

Length: 1750 mm (+ tige verticale min 700 - max 1200)

Light output 80000 Lux / 1m Field of illumination 180 mm Color temperature 4 500 K

CRI > 95

For ceiling mounting, ref: 815706

For wall mounting, ref: 815707



### **Wall-mounted LED lamp**

Length: 1850 mm

Light output > 40000 Lux / 1 m Field of illumination < 240 mm Color temperature 4 500 K

Ref: 519143

### **EXAMINATION LAMPS**



# LED lamp on articulated arm, 2 color temperatures with clamp, 4 gradation level

This lamp is perect for sensitive areas like neonatology or ICU/Resuscitation.

Length: 1080 mm

Light output 60000 Lux / 0,5 m Field of illumination 210 mm Color temperature 3 500 K / 4 500 K

CRI > 93

For horizontal rail, ref: 815658 For vertical tube or rail, ref: 815659

### CARE AND READING LAMPS



#### Care and reading LED lamp on flexible arm

It is particularly recommended for reading in the patient rooms of hospitals or retirement homes.

Length: 800 mm

Light output 1100 Lux / 0,5 m Field of illumination 600 mm Color temperature 3 000 K

CRI > 80

For horizontal rail, ref: 815708

For vertical tube or rail, ref: 815709

#### As option:

This lamp is available without switch. In this case the control will be done directly from the nurse call pear.

For horizontal rail, ref: 815710

For vertical tube or rail, ref: 815711



## Care and reading LED lamp on flexible arm

This lamp is mainly used for reading in retirement homes. The handle integrates a luminous ON/OFF switch. It enables easy use and positionning.

Length: 820 mm

Light output 1000 Lux / 0,5 m Field of illumination 450 mm Color temperature 3 000 K

CRI > 95

For horizontal rail, ref: 815712

For vertical tube or rail, ref: 815713

#### **Monitor stand**

## Swivel arm, length 300 mm, for VESA quick-fit panel (18 kg max.)







For wall vertical rail, ref: 511510



For vertical Ø38 tube, ref: 519126

## Swivel arm, length 300+300 mm, for VESA quick-fit panel (18 kg max.)



For horizontal rail, ref: 511509



For vertical rail, ref: 511511



For vertical Ø38 tube, ref: 511524



VESA 75 /100 mm monitor stand on clamp for tube (Ø 23-40 mm)

Ref: 815489



Height-adjustable arm, 450 mm offset, vertical travel 438 mm for VESA screen (max 16 kg).

For vertical rail, ref : 511512 For vertical Ø38 tube, ref : 511525



**VESA** quick adapter panel

Ref: 519131



Height-adjustable arm, 450 mm offset, vertical travel 438 mm with 230 mm extension for VESA screen (max 18 kg).

For vertical rail, ref : 511513 For vertical Ø38 tube, ref : 511526


## TILTING SWIVEL ARM FOR KEYBOARD AND MOUSE



Height adjustable screen and keyboard stand, 450 mm offset, vertical travel 438 mm with 230 mm extension (max 17 kg)

For vertical rail, ref: 511514

For vertical Ø38 tube, ref: 511530



Height adjustable arm, 450 mm horizontal extension, vertical travel 438 mm with 230 mm extension (5kg maximum for the tray)

For vertical rail, ref: 511694

For vertical Ø38 tube, ref: 511695



Monitor/keyboard stand with height-adjustable work surface, 450 mm offset, 438 mm vertical travel (14 kg max)\*

For vertical rail, ref: 511580

For vertical Ø38 tube, ref: 511577



Monitor/keyboard stand with height-adjustable work surface, 450 mm offset, 438 mm vertical travel with 230 mm extension (14 kg max)\*

For vertical rail, ref: 511578

For vertical Ø38 tube, ref: 511579

<sup>\*</sup> for loads of less than 12,5 kg, please consult us.

## TILTING SWIVEL ARM FOR KEYBOARD AND MOUSE



Height adjustable arm, 524 mm horizontal extension, vertical travel 330 mm (max 11,3 kg)

Load max: 9 kg

For vertical rail, ref: 815349

For vertical Ø38 tube, ref: 815339



Height adjustable arm, 524 mm horizontal extension, vertical travel 330 mm

For vertical rail, ref: 815350

For vertical Ø38 tube, ref: 815340



Height adjustable screen and keyboard stand with work surface 432 mm horizontal extension, vertical travel 508 mm (max 14,5 kg)

For vertical Ø38 tube, ref: 815687



**Universal cable conduit** for 25x10 rail or Ø38 tube (batch of 4)

Ref: 815121



**Universal clamp** 

Ref: 519100



Ø25 tube clamp

Ref: 519101



Ø18 tube clamp

Ref: 519129



Telescopic IV pole, 4 hooks on arm with 300 mm horizontal extension Load max: all 32 kg and 2 kg / hook

For vertical rail or tube, ref: 815487

For horizontal rail,



Secondary stainless steel tube Ø25 x 1000 mm on arm with 300 mm horizontal extension Load max: 28 kg

For vertical rail or tube,

ref: 815125

For horizontal rail, ref: 815526



Set of two telescopic IV poles, 4 hooks for Ø38 mono tube trolley Load max: all 32 kg and 2 kg / hook

Ref: 815488



Telescopic IV pole, 4 hooks for horizontal rail Load max : 2 kg / hook

Ref: 519108



Telescopic IV pole, 6 hooks for horizontal rail Load max: 2 kg / hook

Ref: 519109



**Telescopic elbowed** IV pole, 3 hooks for horizontal rail (bed head unit or wall mounted) Load max: 2 kg / hook

Ref: 519110



Telescopic elbowed IV pole, 4 hooks for horizontal rail (bed head unit or wall mounted) Load max: 2 kg / hook

Ref: 519111



Telescopic IV pole, 4 hooks for horizontal rail Load max: 2 kg / hook

Ref: 519112



Elbowed IV pole with 6 hooks Load max : 3 kg

Ref: 815076



Articulated arm (approx. 1000 mm) with 4 hooks for Ø23 tube (clamp not included)

Ref: 519113



Monitor shelf, 540 x 360 mm / 40 kg

Ref: 519114



Monitor shelf, 540 x 360 mm / 40 kg with one 420 x 310 mm drawer

Ref: 519115



Monitor shelf, 540 x 360 mm / 40 kg with two 420 x 310 mm drawer

Ref: 519116



Off-center rail on clamp 25 x 10 x 355 mm Load max : 14 kg

Ref: 519117



Centered rail on clamp 25 x 10 x 355 mm Load max : 14 kg

Ref: 519118



Tilt shelf 300 x 300 mm on offset arm / 10 kg

Ref: 915083



Shelf, 300 x 200 mm / 4 kg

Ref: 519134



Fixed shelf, 365 x 290 mm / 15 kg

Ref: 519061



Folding shelf, 465 x 300 mm / 6 kg

Ref: 519060



Probe holder with one compartment, 410 x 160 x 70 mm, with 2 hooks for horizontal rail

Ref: 519056



Probe holder with three compartments, 510 x 380 x 70 mm, with 2 hooks for horizontal rail

Ref: 519057



#### **Document holder**

Ref: 519066



Stainless steel support for 8 L bags

Ref: 519063

8 L bags, Qty. 50

Ref: 519064



Basket made of powder-coated steel 500 x 120 x 100 mm with 2 clamps for horizontal rail

Ref: 519163



Basket made of powder-coated steel 250 x 90 x 200 mm with clamp for horizontal rail

Ref: 519162



Glove box holder 260 x 132 x 100 mm with clamp for horizontal rail

Ref: 519128



Glove box holder 200 x 134 x 90 mm with 2 hooks for horizontal rail

Ref: 519164



Mask stand

Ref: 519062



Double rail for shuttle 25 x 10 x 650 mm Load max : 20 kg

Ref: 815104



Jar-holder rail for vertical box or Multicare. Load max: 30 kg

Ref: 815451



Wall rail made of aluminum 25 x 10 mm (per meter)

Ref: 815321



Secondary stainless steel tube Ø25 x 500 mm on clamp

Ref: 815126



Secondary stainless steel tube Ø38x1500 mm on clamp for horizontal bed head rail / wall rail Load max: 30 kg

Ref: 815127

Secondary stainless steel tube Ø38x1500 mm on clamp for horizontal rails Load max: 30 kg

Ref: 815128



Sliding trolley SM 60 Ø38 Mono tube (tray not included)

Ref: 815325



View protection assembly (140 x 120 cm)

Ref: 519067

View protection assembly (230 x 140 cm)

Ref: 519069



Mounting interface for view protection assembly.

For rail or Ø38 vertical tube, ref: 815090

For horizontal rail, ref: 815341

11




Secondary stainless steel tube Ø38 x 150 mm, for vertical rail

Ref: 815243



Extra tube system to hold accessories Ø30

Réf: 815702



Adapter Ø30 for tube Ø38

Ref: 510088



Nurse call pear push with normally open contact and two-pin plug

Close contact, ref: 517100 Open contact, ref: 517212

Four-function handset (general, reading, call + indicator light) with 10pin plug

Ref: 517193

Two-function handset (reading, call + indicator light) with 10-pin plug

Ref: 517199

Three-function handset (general, reading, aux., call + indicator light) with 10-pin plug

Ref: 517190

Five-function handset (general, reading, up, down, call + indicator light) with 10-pin plug

Ref: 517191



DIN 10-pin plug on Mosaic 45 two-module support

Ref: 504017



Male/Female pull-out cord

Ref: 517200



Wall bracket for handset

Ref: 549150



**Horizontal box handset** 

Ref: 517241



Stainless steel vertical tube support for accessories, dedicated to AXIS

Ref: 825317



Stainless steel tablet support for accessories, dedicated to AXIS


Ref: 825316



NATLYS circulation lighting


Ref: 891230

## Tray(s) / drawer(s) for column, box, bed head unit or Ø 38 tube



Tray 405x355 mm with lateral rail without mount (40 kg max)


Compact white finish Ref: 815671



Tray unit 405x355 mm with single drawer and lateral rails without mount (40 kg max)

Compact white finish


Ref : 815673



Tray unit 405x355 mm with double drawer and lateral rails without mount (40 kg max)


Compact white finish

Ref: 815675



Tray 605x455 mm with lateral rails without mount (60 kg max)


Compact white finish Ref: 815677



Tray unit 605x455 mm with single drawer and lateral rails without mount (60 kg max)

Compact white finish

Ref: 815679



Tray unit 605x455 mm with double drawer and lateral rails without mount (60 kg max)


Compact white finish

Ref: 815681



Tray unit 605x455 mm with lateral rails with handles (60 kg max)

Compact white finish Ref: 815648




Tray unit 605x455 mm with single drawer and lateral rails with handles (60 kg max) Compact white

finish Ref: 815649



Tray unit 605x455 mm with double drawer and lateral rails with handles (60 kg max)

Compact white finish Ref: 815650



Tray unit 605x455 mm with lateral rails with handles and control buttons (60 kg max)

Compact white finish



Tray unit 605x455 mm with single drawer and lateral rails with handles and control buttons (60 kg max)

Compact white finish


Ref : contact us



Optional: key or code lock – Contact us for more information.

Tray unit 605x455 mm with double drawer and lateral rails with handles and control buttons (60 kg max)


Compact white finish Ref : contact us





Tray unit 687x405 mm with double drawer and front rails without mount (60 kg max). Matching 815683, 815685 and 815686 mounting interface.

Compact white finish Ref: 815717









Choose the mounting interface to fit your tray and drawer units:


Mounting interface for trays/drawers unit 400 x 355 mm for single vertical rail - Ref: 815682

Mounting interface for trays/drawers unit 605x455 mm for MULTICARE colomn and vertical box TECH-CARE - Ref: 815683

Mounting interface for vertical Ø38 tube - Ref: 815684


Mounting interface for mono FLUIDYS T with 2 lateral rails - Ref: 815685 Mounting interface for duo FLUIDYS T with 2 lateral rails - Ref: 815686

# Tray(s) / drawer(s) for trolley or horizontal box




Tray 405x355 mm, with lateral rails (40 kg max)

Compact white finish Ref: 815624




Tray unit 405x355 mm with single drawer and lateral rails (40 kg max)

Compact white finish Ref: 815630




Tray unit 405x355 mm with double drawer and lateral rails (40 kg max)

Compact white finish Ref: 815632




Tray 605x455 mm with lateral rails (60 kg max)

Compact white finish Ref: 815622



Tray unit 605x455 mm with single drawer and lateral rails (60 kg max)

Compact white finish Ref: 815626



Tray unit 605x455 mm with double drawer and lateral rails (60 kg max)

Compact white finish Ref: 815628

# **Norms & certifications**

- 13485 Quality management systems
- CE Medical Devices Marking according to 93/42/EEC Directive
- EN ISO 11197 : Medical supply units
- EN ISO 7396-1 : Medical gas pipeline systems Part 1
- European rules for caring centers lighting

Bed head units, Wall lighting units, Ceiling pendants, Suspended Beams & Columns,
Special care bed head units, Sealed lightings, Medical gas monitoring & Biomedical Accessories



